

# Product

# Catalog



**Water Treatment** 



Prices effective

May 2024

Prices Include GST



#### **Polypropylene Spun Filters**

10" or 20" (1um, 5um or 20um)

Removes particles such as sediment sand, silt, dirt, dust and rust.

Made of tightly spun fibre.

This should be the first filter in your system for water. With lots of particles in it, you may want more than one of these filters in your system. For example, 20 micron first, 5 micron second, the higher the micron, the more particles the filter will let through.

Pleated spun filters cannot be washed.

This should be replaced yearly, or if there is a noticeable pressure drop, then earlier.

**PPS** 



#### **Polypropylene Pleated Filters**

10" or 20" (1um, 5um or 20um)

Removes particles such as sediment sand, silt, dirt, dust and rust.

Made of cellulose and polyester media, pleated around a polypropylene core for strength.

This should be the first filter in your system; for water. With lots of particles in it, you may want more than one of these filters in your system. For example, 20 micron first, 5 micron second, the higher the micron, the more particles the filter will let through.

Pleated filters have more surface area than poly spun filters, so will take longer to block up. Poly pleated filters can also be washed.

PPL

This should be washed or replaced yearly, or if there is a noticeable pressure drop, then earlier. Washing will reduce the effectiveness over time.



#### **Chlorine, Taste & Odour Filters**

10" or 20" (1um or 5um)

Removes odour, chemicals including chlorine and helps improves taste and colour.

Made of high-quality activated carbon (Carbon Block)

This filter should come after the sediment removal filter and is recommended for household drinking water (If you are going to use just one filter to improve overall taste for drinking, we recommend this one).

This should be replaced every 6 to 12 months, or if there is a noticeable pressure drop and you have replaced the sediment filters, then earlier.

CTO



#### **Granular Activated Carbon Filters**

#### 20" (1um or 5um)

Removes chlorine, chemicals, tastes and odours from water.

Made of high-quality coconut shell carbon and granular activated carbon.

This filter should come after the sediment removal filter and CTO filter and is often used for improving the aesthetic impurities in the water (colour, taste and odours)

This should be replaced every 6 to 12 months, or if there is a noticeable pressure drop and you have replaced the sediment filters, then earlier.

**GAC** 



# Kinetic Degradation Fluxion + Granular Activated Carbon Filters 10" or 20" (5um)

Removes hydrogen sulphide, iron, lead, nickel, chromium, cadmium, calcium, aluminium, mercury, arsenic, and other organic compounds.

KDF kills algae and fungi; effectively controlling bacteria growth, pesticides, organic matter and rust.

GAC removes chlorine, chemicals, tastes and odours from water.

This filter should come after the sediment removal and CTO filter.

This should be replaced every 6 to 12 months, or if there is a noticeable pressure drop and you have replaced the sediment filters, then earlier.



#### **ION Exchange Cationic Resin Filters**

#### 10" or 20" (5um)

Removes calcium & lime scale.

ION Resin - ION Exchange Cationic Resin Filters are made of high-quality coconut shell with high adsorption capacity.

ION exchange water softeners use resin beads to attract and remove calcium and magnesium ions from the water, replacing them with sodium ions. This process reduces water hardness, softening water and prevents scale build up, staining, calcium build ups and increases the effectiveness of detergents.

Extends the life of plumbing fittings and appliances by reducing scale build up.

Extremely effective at removing calcium and lime scale.

This filter should come after sediment filter and before CTO filter.







Water Filter System - 2 Stage, 5UM, 10" + UV Steriliser - 33W (Wall Mounted)

**\$789.**00

Model: RPS-103W-5UM

UV Lamp Power: 33W (USA Lamp) Flow Rate: 30.3lpm (8GPM) Filter System: 2 Stage

Filter Size: 254mm(L) x 114mm(OD) (10" x 4.5") Filter 1 Type: 5um PPS (Polypropylene Spun) removes

Sediment Sand, Silt, Dirt and Dust

Filter 2 Type: 5um CTO (Chlorine Taste and Odour-Coconut

Shell Carbon) removes Chlorine. Taste and Odour Connection: 25mm Female plus 25mm Male

Mounting: Wall Mount Type

Overall Size: 640(L) x 225(W) x 580(H)mm

Includes:

Day Count Down Timer and Alarm Water Pressure Meter Filter Tool



Water Filter System - 2 Stage, 5UM, 10" + UV Steriliser - 33W (Free Standing)

**\$825.**00

Model: RPS-103S-5UM

UV Lamp Power: 33W (USA Lamp) Flow Rate: 30.3lpm (8GPM) Filter System: 2 Stage

Filter Size: 254mm(L) x 114mm(OD) (10" x 4.5") Filter 1 Type: 5um PPS (Polypropylene Spun) removes

Sediment Sand, Silt, Dirt and Dust

Filter 2 Type: 5um CTO (Chlorine Taste and Odour-Coconut

Shell Carbon) removes Chlorine. Taste and Odour Connection: 25mm Female plus 25mm Male

Mounting: Standing Type

Overall Size: 640(L) x 225(W) x 660(H)mm

Includes:

Day Count Down Timer and Alarm Water Pressure Meter

Filter Tool



Water Filter System - 2 Stage, 5UM, 20" + UV Steriliser - 48W (Wall Mounted)

\$969.00

Model: RPS-203W-5UM

UV Lamp Power: 48W (USA Lamp) Flow Rate: 45.4lpm (12GPM) Filter System: 2 Stage

Filter Size: 508mm(L) x 114mm(OD) (20" x 4.5") Filter 1 Type: 5um PPS (Polypropylene Spun) removes

Sediment Sand, Silt, Dirt and Dust

Filter 2 Type: 5um CTO (Chlorine Taste and Odour - Coconut

Shell Carbon) removes Chlorine, Taste and Odour Connection: 25mm Female plus 25mm Male

Mounting: Wall Mount Type

Overall Size: 765(L) x 355(W) x 745(H)mm

#### Includes:

Day Count Down Timer and Alarm Water Pressure Meter Filter Tool



Water Filter System - 2 Stage, 5UM, 20" + UV Steriliser - 48W (Free Standing)

\$995.00

Model: RPS-203S-5UM

UV Lamp Power: 48W (USA Lamp) Flow Rate: 45.4lpm (12GPM) Filter System: 2 Stage

Filter Size: 508mm(L) x 114mm(OD) (20" x 4.5") Filter 1 Type: 5um PPS (Polypropylene Spun) removes

sediment Sand, Silt, Dirt and Dust

Filter 2 Type: 5um CTO (Chlorine Taste and Odour - Coconut

Shell Carbon) removes Chlorine, Taste and Odour Connection: 25mm Female plus 25mm Male

Mounting: Standing Type

Overall Size: 640(L) x 225(W) x 860(H)mm

#### Includes:

Day Count Down Timer and Alarm Water Pressure Meter Filter Tool





Water Filter System - 3 Stage, 20" + UV Steriliser -5UM, 55W (Wall Mounted)

**\$789.**00

Model: RG-20B-3-55W-5UM UV Lamp Power: 55W Flow Rate: 45.4lpm (12GPM)

Filter System: 3 Stage

Filter Size: 508mm(L) x 114mm(OD) (20" x 4.5") Filter 1 Type: 5um PPS (Polypropylene Spun) removes

Sediment, Sand, Silt, Dirt and Dust

Filter 2 Type: 5um CTO (Chlorine Taste and Odour—Coconut Shell Carbon) removes Chlorine, Taste and Odour Filter 3 Type: 5um GAC (Granular Activated Carbon Cartridge are made of High-quality coconut shell carbon high adsorption capacity) removes chlorine, organic chemicals, suspended particles, tastes and odours from water.

Connection: 25mm Female plus 25mm Male

Mounting: Wall Mount Type

Overall Size: 1020(L) x 230(W) x 700(H)mm

Includes:

Day Count Down Timer and Alarm

Filter Tool



Water Filter System - 3 Stage, 20" + UV Steriliser -5UM, 55W (Free Standing)

\$845.00

Model: RG-20B-3-55S-5UM UV Lamp Power: 55W Flow Rate: 45.4lpm (12GPM) Filter System: 3 Stage

Filter Size: 508mm(L) x 114mm(OD) (20" x 4.5") Filter 1 Type: 5um PPS (Polypropylene Spun) removes

Sediment, Sand, Silt, Dirt and Dust

Filter 2 Type: 5um CTO (Chlorine Taste and Odour—Coconut Shell Carbon) removes Chlorine, Taste and Odour Filter 3 Type: 5um GAC (Granular Activated Carbon Cartridge are made of High-quality coconut shell carbon high adsorption capacity) removes chlorine, organic chemicals, suspended particles, tastes and odours from water.

Connection: 25mm Female plus 25mm Male

Mounting: Standing Type

Overall Size: 1020(L) x 230(W) x 800(H)mm

Includes:

Day Count Down Timer and Alarm

Filter Tool



Water Filter System - 3 Stage, 20" + UV Steriliser -1UM, 55W (Wall

**\$795.**00

Mounted)

Model: RG-20B-3-55W-1UM UV Lamp Power: 55W Flow Rate: 45.4lpm (12GPM) Filter System: 3 Stage

Filter Size: 508mm(L) x 114mm(OD) (20" x 4.5")
Filter 1 Type: 1um PPS (Polypropylene Spun) removes

Sediment, Sand, Silt, Dirt and Dust

Filter 2 Type: 1um CTO (Chlorine Taste and Odour—Coconut Shell Carbon) removes Chlorine, Taste and Odour Filter 3 Type: 1um GAC (Granular Activated Carbon Cartridge are made of High-quality coconut shell carbon high adsorption capacity) removes chlorine, organic chemicals, suspended particles, tastes and odours from water.

Connection: 25mm Female plus 25mm Male

Mounting: Wall Mount Type

Overall Size: 1020(L) x 230(W) x 700(H)mm

Includes:

Day Count Down Timer and Alarm

Filter Tool



Water Filter System— Reverse Osmosis, 6 Stage, 5UM + UV Steriliser 6W

\$389.00

Model: ROUV-7 UV Lamp Power: 6W Filter System: 6 Stage

Filter 1 Type: 5um PPS (Polypropylene Spun) removes

Sediment, Sand, Silt, Dirt and Dust

Filter 2 Type: 1um GAC (Granular Activated Carbon Cartridge are made of High-quality coconut shell carbon high adsorption capacity) removes chlorine, organic chemicals, suspended particles, tastes and odours from water.

Filter 3 Type: 5um CTO (Chlorine Taste and Odour—Coconut

Shell Carbon) removes Chlorine, Taste and Odour
Filter 4 Type: RO membrane (reverse osmosis) removes
bacteria, viruses, heavy metal and organic substances further.

Filter 5 Type: T33 removes smell, increases oxygen and prevent

bacterial growth.

Water Inlet Connection: 20mm Female / 20mm Male Fitting

Mounting: Standing / Wall Mount Type

Filter Housing Size:  $360(L) \times 215(W) \times 590(H)$ mm Expansion Tank Size:  $240(L) \times 215(W) \times 360(H)$ mm

Booster Pump:

Voltage: 230V / 50Hz, Working PSI: 72

Flow: 134.6ml/min

Includes:

12L Expansion tank, Sink Outlet Tap

Pressure Gauge Filter Tool





Water Filter System - 3 Stage, 5UM - 20" (Wall Mounted)

\$439.00

Model: RG-20B-3-W-5UM Flow Rate: 45.4lpm (12GPM)

Filter System: 3 Stage

Filter Size: 508mm(L) x 114mm(OD) (20" x 4.5") Filter 1 Type: 5um PPS (Polypropylene Spun) removes

Sediment, Sand, Silt, Dirt and Dust

Filter 2 Type: 5um CTO (Chlorine Taste and Odour— Coconut Shell Carbon) removes Chlorine, Taste and Odour Filter 3 Type: 5um GAC (Granular Activated Carbon Cartridge are made of High-quality coconut shell carbon high adsorption capacity) removes chlorine, organic chemicals, suspended particles, tastes and odours from water.

Connection: 25mm Female plus 25mm Male

Mounting: Wall Mount Type

Overall Size: 572L) x 230(W) x 640(H)mm

Includes: Filter Tool



Water Filter System - 3 Stage, 5UM - 20" (Free Standing)

\$539.00

Model: RG-20B-3-S-5UM Flow Rate: 45.4lpm (12GPM)

Filter System: 3 Stage

Filter Size: 508mm(L) x 114mm(OD) (20" x 4.5") Filter 1 Type: 5um PPS (Polypropylene Spun) removes

Sediment, Sand, Silt, Dirt and Dust

Filter 2 Type: 5um CTO (Chlorine Taste and Odour-Coconut Shell Carbon) removes Chlorine, Taste and Odour Filter 3 Type: 5um GAC (Granular Activated Carbon Cartridge are made of High-quality coconut shell carbon high adsorption capacity) removes chlorine, organic chemicals, suspended particles, tastes and odours from water.

Connection: 25mm Female plus 25mm Male

Mounting: Standing Type

Overall Size: 572(L) x 230(W) x 715(H)mm

Includes: Filter Tool



**\$49.**95

#### Water Filter Housing-Blue-10"

Model: H-10-B2 Fits: 10" Filter Connection: 25mm Female (Brass) Max Continuous Pressure: 8.6bar, 861kPa, 125psi Accepts Filter Size: 254mm(L) x 114mm(OD) (10" x 4.5") Overall Size:  $180(L) \times 180(W) \times$ 350(H)mm



**\$73.**00

#### Water Filter Housing-Blue-20"

Model: H-20-B2 Fits: 20" Filter Connection: 25mm Female (Brass) Max Continuous Pressure: 8.6bar, 861kPa, 125psi Accepts Filter Size: 508mm(L) x 114mm(OD) (20" x 4.5") Overall Size:  $140(L) \times 140(W) \times$ 600(H)mm



#### UV Steriliser-55W + **Alarm**

Model: UV-55W + T-Ballast UV Lamp Power: 55W

UV Lamp Size:  $1020(L) \times 70(W) \times 100(L) \times 100(W) \times 100(W$ 

100(H)mm

T-Ballast Size:  $280(L) \times 75(W) \times$ 

55(H)mm Includes:

Day Count Down Timer and Alarm



#### **UV Steriliser -**Replacement Alarm



T-Ballast Size: 280(L) x 75(W) x

Function: Day Count Down and

55(H)mm

Alarm

Replacement for models:

RPS-103 RPS-203 RG-20B-3-55


Model: T-Ballast

**\$229.**00

# **\$165.**00

#### **UV Steriliser -**Replacement Lamp -33W (USA)

Model: UV Lamp-33W UV Lamp Power: 33W Imported: From the USA Replacement for models: RPS-103 & RPS-103S UV Length (excl. prongs): 300mm Prongs: 7mm long, Square shape Prong spacing: 8mm x 6.5mm



#### **UV Steriliser -**Replacement Lamp -48W (USA)

Model: UV Lamp-48W UV Lamp Power: 48W Imported: From the USA Replacement for models: RPS-203 & RPS-203S UV Length (excl. prongs): 435mm Prongs: 7mm long, Square shape Prong spacing: 8mm x 6.5mm



#### **UV Steriliser -**Replacement Lamp -55W

Model: UV Lamp-55W

UV Lamp Power: 55W Replacement for models: RPS-103RG-20B-3-55W RPS-103RG-20B-3-55S UV Length (excl. prongs): 910mm Prongs: 7mm long, Square shape Prong spacing: 8mm x 6.5mm



#### **UV Steriliser -**Replacement Quartz Tube - 33W

Model: Quartz Tube-33W Fits: 33W Lamp Replacement for models: RPS-103W-5UM RPS-103S-5UM







#### **UV Steriliser -Replacement Quartz** Tube - 48W

Model: QUARTZ TUBE-48W Fits: 48W Lamp Replacement for models: RPS-203W-5UM RPS-203S-5UM

**UV Steriliser -**

**Tube - 55W** 

Fits: 55W Lamp

Replacement for models:

RPS-103RG-20B-3-55W

RPS-103RG-20B-3-55S

**\$34.**95




#### Water Filter System - Poly Spun Replacement Filter - 20UM, 10"

Model: JUMBO PPS-10-20UM Filter Size: 254mm(L) x 114mm (OD) (10" x 4.5") Filter Type: 20um PPS (Polypropylene

**\$9.**95



Spun) removes Sediment Sand, Silt, Dirt and Dust



#### Water Filter System - Poly Spun Replacement Filter - 1UM, 20"

Model: JUMBO PPS-20-1UM Filter Size: 508mm(L) x 114mm (OD) (20" x 4.5")

Filter Type: 1um PPS (Polypropylene Spun) removes Sediment Sand, Silt, Dirt and Dust

**\$38.**95



#### Water Filter System - Poly Spun Replacement Filter - 1UM, 10"

Model: JUMBO PPS-10-1UM Filter Size: 254mm(L) x 114mm (OD) (10" x 4.5")

Filter Type: 1um PPS (Polypropylene Spun) removes Sediment Sand, Silt, Dirt and Dust

**\$10.**95



#### Water Filter System - Poly Spun Replacement Filter - 5UM, 20"

Model: JUMBO PPS-20-5UM Filter Size: 508mm(L) x 114mm (OD) (20" x 4.5")

Filter Type: 5um PPS (Polypropylene Spun) removes Sediment Sand, Silt, Dirt and Dust

**\$19.**95



#### Water Filter System - Poly **Spun Replacement** Filter - 20UM, 20"

Model: JUMBO PPS-20-20UM Filter Size: 508mm(L) x 114mm (OD) (20" x 4.5")

Filter Type: 20um PPS (Polypropylene Spun) removes Sediment Sand, Silt, Dirt and Dust



**\$9.**95

#### Water Filter System - Poly Spun Replacement Filter - 5UM, 10"

Model: JUMBO PPS-10-5UM Filter Size: 254mm(L) x 114mm (OD) (10" x 4.5")

Filter Type: 5um PPS (Polypropylene Spun) removes Sediment Sand, Silt, Dirt and Dust

**\$19.**95



**\$19.**95

#### Water Filter System - Poly Pleated Replacement Filter, 1um - 10"

Model: JUMBO PPL-10-1UM Filter Size: 254mm(L) x 114mm (OD) (10" x 4.5") Filter Type: 1um PPL (Polypropylene Pleated) removes Sediment Sand, Silt, Dirt and Dust

Washable



**\$18.**95

#### Water Filter System - Poly Pleated Replacement Filter, 5um - 10"

Model: JUMBO PPL-10-5UM
Filter Size: 254mm(L) x 114mm
(OD) (10" x 4.5")
Filter Type: 5um PPL (Polypropylene
Pleated) removes Sediment Sand,
Silt. Dirt and Dust

Washable



**\$17.**95

#### Water Filter System - Poly Pleated Replacement Filter, 20um - 10"

Model: JUMBO PPL-10-20UM Filter Size: 254mm(L) x 114mm (OD) (10" x 4.5") Filter Type: 20um PPL (Polypropylene Pleated) removes Sediment Sand, Silt, Dirt and Dust

Washable



**\$38.**95

#### Water Filter System - Poly Pleated Replacement Filter, 1um - 20"

Model: JUMBO PPL-20-1UM
Filter Size: 508mm(L) x 114mm
(OD) (20" x 4.5")
Filter Type: 1um PPL (Polypropylene
Pleated) removes Sediment Sand,
Silt, Dirt and Dust

Washable



**\$37.**95

#### Water Filter System - Poly Pleated Replacement Filter, 5um - 20"

Model: JUMBO PPL-20-5UM
Filter Size: 508mm(L) x 114mm (OD)
(20" x 4.5")
Filter Type: 5um PPL (Polypropylene
Pleated) removes Sediment Sand, Silt,
Dirt and Dust

Washable



**\$35.**95

#### Water Filter System - Poly Pleated Replacement Filter, 20um - 20"

Model: JUMBO PPL-20-20UM
Filter Size: 508mm(L) x 114mm (OD)
(20" x 4.5")
Filter Type: 20um PPL
(Polypropylene Pleated) removes

Sediment Sand, Silt, Dirt and Dust

Washable





**\$28.**95

#### Water Filter System -CTO Replacement Filter - 1UM, 10"

Model: Jumbo CTO-10-1UM Filter Size: 254mm(L) x 114mm(OD) (10" x 4.5")

Filter Type: 1um CTO (Chlorine Taste and Odour—Coconut Shell Carbon) removes Chlorine, Taste and Odour Replacement for models:

RPS-103, RPS-103S



**\$26.**95

#### Water Filter System -CTO Replacement Filter - 5UM, 10"

Model: Jumbo CTO-10-5UM Filter Size: 254mm(L) x 114mm(OD) (10" x 4.5")

Filter Type: 5um CTO (Chlorine Taste and Odour—Coconut Shell Carbon) removes Chlorine, Taste and Odour Replacement for models:

RPS-103, RPS-103S



**\$52.**95

#### Water Filter System -CTO Replacement Filter - 1UM. 20"

Model: Jumbo CTO-20-1UM Filter Size: 508mm(L) x 114mm(OD) (20" x 4.5")

Filter Type: 1um CTO (Chlorine Taste and Odour—Coconut Shell Carbon) removes Chlorine, Taste and Odour Replacement for models:

RG-20B-3-55W-1UM



Water Filter System -CTO Replacement Filter - 5UM, 20"

Model: Jumbo CTO-20-5UM Filter Size: 508mm(L) x 114mm(OD) (20" x 4.5")

Filter Type: 1um CTO (Chlorine Taste and Odour—Coconut Shell Carbon) removes Chlorine, Taste and Odour Replacement for models:

RPS-203/RPS-203S



**\$52.**95

#### Water Filter System -GAC Replacement Filter - 1UM, 20"

Model: Jumbo GAC-20-1UM Filter Size: 508mm(L) x 114mm(OD) (20" x 4.5")

Filter Type: 1um GAC (Granular Activated Carbon Cartridge are made of High-quality coconut shell carbon high adsorption capacity) removes chlorine, organic chemicals, suspended particles, tastes and odours from water

Replacement for models: RPS-203 / RPS-203S



**\$49.**95

#### Water Filter System -GAC Replacement Filter - 5UM, 20"

Model: Jumbo GAC-20-5UM Filter Size: 508mm(L) x 114mm(OD) (20" x 4.5")

Filter Type: 5um GAC (Granular Activated Carbon Cartridge are made of High-quality coconut shell carbon high adsorption capacity) removes chlorine, organic chemicals, suspended particles, tastes and odours from water.

Replacement for models:

RPS-203 / RPS-203S

RPS-103RG-20B-3-55W / 55S



#### Water Filter System -KDF + GAC Replacement Filter, 5um - 10"

Model: JUMBO KDF-GAC-10-5UM Filter Size: 254mm(L) x 114mm(OD) (10" x 4.5")

Filter Type: 5um KDF (Kinetic Degradation Fluxion ) + GAC removes hydrogen sulfide, iron, lead, nickel, chromium, cadmium, calcium, aluminium, mercury, arsenic, and other organic compounds.



#### Water Filter System -KDF + GAC Replacement Filter, 5um - 20"

Model: JUMBO KDF-GAC-20-5UM Filter Size: 508mm(L) x 114mm(OD) (20" x 4.5")

Filter Type: 5um KDF (Kinetic Degradation Fluxion ) + GAC removes hydrogen sulfide, iron, lead, nickel, chromium, cadmium, calcium, aluminium, mercury, arsenic, and other organic compounds.



# **\$85.**00

#### Water Filter System - ION Resin Replacement Filter, 5um - 10"

Model: JUMBO ION RESIN-10-5UM Filter Size: 254mm(L) x 114mm (OD) (10" x 4.5")

Filter Type: 5um ION Exchange Resin removes calcium & lime scale from water.



#### Water Filter System - ION Resin Replacement Filter, 5um - 20"

Model: JUMBO ION RESIN-20-5UM Filter Size: 508mm(L) x 114mm (OD) (20" x 4.5") Filter Type: 5um ION Exchange Resin removes calcium & lime scale from water.





**\$5.**95

#### Water Filter System -Reverse Osmosis - PPS Replacement Filter - 10"

Model: ROUV-7 PPS-10" Filter Size: 254mm(L) x 60mm(OD) (10" x 2.4")

Filter Type: 5um PPS (Polypropylene Spun) removes Sediment, Sand, Silt, Dirt and Dust

Replacement for model: ROUV-7



Water Filter System Reverse Osmosis - Post
Carbon Replacement Filter 10"

Model: ROUV-7 POST CARBON-10"-WHITE

Filter Size: 246mm(L) x 53mm (OD) (10" x 2")

Filter Type: Post Carbon has Granular Activated Carbon for deep filtration and enhances the taste.

Replacement for model: ROUV-7



**\$9.**95

#### Water Filter System -Reverse Osmosis - GAC Replacement Filter - 10"

Model: ROUV-7 GAC-10" Filter Size: 251mm(L) x 72mm(OD) (10" x 2.8")

Filter Type: 1um GAC (Granular Activated Carbon Cartridge are made of High -quality coconut shell carbon high adsorption capacity) removes chlorine, organic chemicals, suspended particles, tastes and odours from water Replacement for model: ROUV-7



#### Water Filter System -Reverse Osmosis - Mineral Cartridge Filter - 10"

Model: ROUV-7 MINERAL CARTRIDGE -10"-YELLOW Filter Size: 246.5mm(L) x 53mm (OD)

Filter Type: Mineral Cartridge contains mineral balls to replenish the essential minerals needed by the human body.

Replacement for model: ROUV-7

(10" x 2")



**\$9.**35

#### Water Filter System -Reverse Osmosis - CTO Replacement Filter - 10"

Model: ROUV-7 CTO-10" Filter Size: 251mm(L) x 70mm(OD) (10" x 2.8")

Filter Type: 5um CTO (Chlorine Taste and Odour—Coconut Shell Carbon) removes Chlorine, Taste and Odour Replacement for model: ROUV-7



**\$19.**95

#### Water Filter System -Reverse Osmosis -UV LAMP-6W

Model: ROUV-7 UV LAMP-6W UV Lamp Power: 6W UV Length (excl. Prongs): 212mm Prongs: 7mm long, Square shape Prong spacing: 8mm x 6.5mm Replacement for mode: ROUV-7



#### Water Filter System -Reverse Osmosis - RO Membrane 50GPD

Model: ROUV-7 RO MEMBRANE 50GPD

Filter Size: 298mm(L) x 51mm(OD) (11.5" x 2")

Filter Type: RO membrane (reverse osmosis) removes the majority of dissolved salts, organics, bacteria and pyrogens.

Replacement for model: ROUV-7



#### Water Filter System -Reverse Osmosis -Quartz Tube 6W

Model: ROUV-7 QUARTZ TUBE 6W Fits: 6W Lamp Tube Overall Length: 242mm Replacement for mode: ROUV-7



**\$8.**95

#### Float Switch

Model: Float Switch - 6.35mm (1/4")Inlet Size: 6.35mm (1/4") Continuous Pressure: 14.5 -72.5PSI



Model: Pressure Gauge Size: 63.5(D)mm

Pressure Range: 0-220PSI 0-1.6MPa

Thread Size: 6.35mm (1/4") Gauge Case: Stainless Steel (304)



**\$21.**00

#### Water Filter Housing -Blue - 10" / 20" BRACKET

- 1 Filter (Stainless Steel)

Model: H-10-B2/H-20-B2 BRACKET - 1 FILTER (STAINLESS S) Fits: 10" (H-10-B2) or 20" (H-20-B2)

Filter Housings

Overall Size:  $168(L) \times 104(W) \times$ 

128(H)mm

Includes: 1 x bracket and 1 x bag of

bolts



**\$9.**95

#### Accuracy: ± 1.6%

**RPS Pressure Gauge** 



Pressure Range: 0- 150PSI

0-1MPa

Thread Size: 6.35mm (1/4") Gauge Case: Stainless Steel (304)

Accuracy: ± 1.6%



\$46.00

#### Water Filter Housing -Blue - 10" / 20" BRACKET - 2 Filter (Stainless Steel)

Model: H-10-B2/H-20-B2 BRACKET - 2 FILTER (STAINLESS S) Fits: 10" (H-10-B2) or 20" (H-20-**B2) Filter Housings** 

Overall Size: 220(L) x 391(W) x 70(H)mm

Includes: 1 x bracket and 1 x bag of

bolts



**\$10.**95

#### Three Way Tee - Brass -12.5mm (1/4") x 25mm (1")

Model: 3V75 Thread: G1/4, G1 Length: 70mm

Input Male Thread: 25mm (1") x 2 Output Female Thread: 12.5mm

 $(1/4") \times 1$ 

(Includes reducer from 1" to 1/4")



\$8.95

#### Water Filter Housing - Blue - 10" / 20" BRACKET - 1 Filter (Steel)

Model: H-10-B2/H-20-B2 BRACKET

- 1 FILTER (STEEL) Fits: 10" (H-10-B2) or 20" (H-20-B2)

Filter Housings Overall Size:  $168(L) \times 104(W) \times$ 

128(H)mm

Includes: 1 x bracket and 1 x bag of



**\$17.**95

#### Water Filter Housing -Blue - 10" / 20" BRACKET - 2 Filter (Steel)

Model: H-10-B2/H-20-B2 BRACKET - 2 FILTER (STEEL)

Fits: 10" (H-10-B2) or 20" (H-20-B2)

Filter Housings

Overall Size:  $220(L) \times 391(W) \times$ 

70(H)mm

Includes: 1 x bracket and 1 x bag of

bolts





**\$17.**95



Water Filter Housing -Blue - 10" / 20" BRACKET

- 3 Filter (Steel)

Model: H-10-B2/H-20-B2 BRACKET

- 3 FILTER (STEEL)

Fits: 10" (H-10-B2) or 20" (H-20-B2)

Filter Housings

Overall Size: 220(L) x 570(W) x

70(H)mm

Includes: 1 x bracket and 1 x bag of

bolts







#### **CONTACT US**

Phone:

(03) 313 1415

**Email:** 

Sales@GoodsDirect2U.co.nz

Web:

www. GoodsDirect2U.co.nz

#### Address:

589 Mount Thomas Road, RD1, Fernside, New Zealand 7471

#### **Opening Hours:**

9am - 5pm Monday-Friday 10am - 12am Saturday