

Product

Catalog



Water Treatment



Prices effective

July 2023

Prices Include GST



Water Filter System - 2 Stage, 5UM, 10" + UV Steriliser - 33W (Wall Mounted)

\$789.00

Model: RPS-103W-5UM

UV Lamp Power: 33W (USA Lamp) Flow Rate: 30.3lpm (8GPM) Filter System: 2 Stage

Filter Size: 254mm(L) x 114mm(OD) (10" x 4.5") Filter 1 Type: 5um PPS (Polypropylene Spun) removes

Sediment Sand, Silt, Dirt and Dust

Filter 2 Type: 5um CTO (Chlorine Taste and Odour-Coconut

Shell Carbon) removes Chlorine, Taste and Odour Connection: 25mm Female plus 25mm Male

Mounting: Wall Mount Type

Overall Size: 640(L) x 225(W) x 580(H)mm

Includes:

Day Count Down Timer and Alarm Water Pressure Meter Filter Tool



Water Filter System - 2 Stage, 5UM, 10" + UV Steriliser - 33W (Free Standing)

\$825.00

Model: RPS-103S-5UM

UV Lamp Power: 33W (USA Lamp) Flow Rate: 30.3lpm (8GPM) Filter System: 2 Stage

Filter Size: 254mm(L) x 114mm(OD) (10" x 4.5") Filter 1 Type: 5um PPS (Polypropylene Spun) removes

Sediment Sand, Silt, Dirt and Dust

Filter 2 Type: 5um CTO (Chlorine Taste and Odour-Coconut

Shell Carbon) removes Chlorine, Taste and Odour Connection: 25mm Female plus 25mm Male

Mounting: Standing Type

Overall Size: 640(L) x 225(W) x 660(H)mm

Includes:

Day Count Down Timer and Alarm Water Pressure Meter

Filter Tool



Water Filter System - 2 Stage, 5UM, 20" + UV Steriliser - 48W (Wall Mounted)

\$969.00

Model: RPS-203W-5UM

UV Lamp Power: 48W (USA Lamp) Flow Rate: 45.4lpm (12GPM) Filter System: 2 Stage

Filter Size: 508mm(L) x 114mm(OD) (20" x 4.5") Filter 1 Type: 5um PPS (Polypropylene Spun) removes

Sediment Sand, Silt, Dirt and Dust

Filter 2 Type: 5um CTO (Chlorine Taste and Odour - Coconut

Shell Carbon) removes Chlorine, Taste and Odour Connection: 25mm Female plus 25mm Male

Mounting: Wall Mount Type

Overall Size: 765(L) x 355(W) x 745(H)mm

Includes:

Day Count Down Timer and Alarm Water Pressure Meter Filter Tool



Water Filter System - 2 Stage, 5UM, 20" + UV Steriliser - 48W (Free Standing)

\$995.00

Model: RPS-203S-5UM

UV Lamp Power: 48W (USA Lamp) Flow Rate: 45.4lpm (12GPM) Filter System: 2 Stage

Filter Size: 508mm(L) x 114mm(OD) (20" x 4.5") Filter 1 Type: 5um PPS (Polypropylene Spun) removes

sediment Sand, Silt, Dirt and Dust

Filter 2 Type: 5um CTO (Chlorine Taste and Odour - Coconut

Shell Carbon) removes Chlorine, Taste and Odour Connection: 25mm Female plus 25mm Male

Mounting: Standing Type

Overall Size: 640(L) x 225(W) x 860(H)mm

Includes:

Day Count Down Timer and Alarm Water Pressure Meter Filter Tool





Water Filter System - 3 Stage, 20" + UV Steriliser -5UM, 55W (Wall Mounted)

\$789.00

Model: RG-20B-3-55W-5UM UV Lamp Power: 55W Flow Rate: 45.4lpm (12GPM)

Filter System: 3 Stage

Filter Size: 508mm(L) x 114mm(OD) (20" x 4.5") Filter 1 Type: 5um PPS (Polypropylene Spun) removes

Sediment, Sand, Silt, Dirt and Dust

Filter 2 Type: 5um CTO (Chlorine Taste and Odour—Coconut Shell Carbon) removes Chlorine, Taste and Odour Filter 3 Type: 5um GAC (Granular Activated Carbon Cartridge are made of High-quality coconut shell carbon high adsorption capacity) removes chlorine, organic chemicals, suspended particles, tastes and odours from water.

Connection: 25mm Female plus 25mm Male

Mounting: Wall Mount Type

Overall Size: 1020(L) x 230(W) x 700(H)mm

Includes:

Day Count Down Timer and Alarm

Filter Tool



Water Filter System - 3 Stage, 20" + UV Steriliser -5UM, 55W (Free Standing)

\$845.00

Model: RG-20B-3-55S-5UM UV Lamp Power: 55W Flow Rate: 45.4lpm (12GPM)

Filter System: 3 Stage

Filter Size: 508mm(L) x 114mm(OD) (20" x 4.5") Filter 1 Type: 5um PPS (Polypropylene Spun) removes

Sediment, Sand, Silt, Dirt and Dust

Filter 2 Type: 5um CTO (Chlorine Taste and Odour—Coconut Shell Carbon) removes Chlorine, Taste and Odour Filter 3 Type: 5um GAC (Granular Activated Carbon Cartridge are made of High-quality coconut shell carbon high adsorption capacity) removes chlorine, organic chemicals, suspended particles, tastes and odours from water.

Connection: 25mm Female plus 25mm Male

Mounting: Standing Type

Overall Size: 1020(L) x 230(W) x 800(H)mm

Includes:

Day Count Down Timer and Alarm

Filter Tool



Water Filter System - 3 Stage, 20" + UV Steriliser -1UM, 55W (Wall

\$795.00

Mounted)

Model: RG-20B-3-55W-1UM UV Lamp Power: 55W Flow Rate: 45.4lpm (12GPM) Filter System: 3 Stage

Filter Size: 508mm(L) x 114mm(OD) (20" x 4.5") Filter 1 Type: 1um PPS (Polypropylene Spun) removes

Sediment, Sand, Silt, Dirt and Dust

Filter 2 Type: 1um CTO (Chlorine Taste and Odour— Coconut Shell Carbon) removes Chlorine, Taste and Odour Filter 3 Type: 1um GAC (Granular Activated Carbon Cartridge are made of High-quality coconut shell carbon high adsorption capacity) removes chlorine, organic chemicals, suspended particles, tastes and odours from water.

Connection: 25mm Female plus 25mm Male

Mounting: Wall Mount Type

Overall Size: 1020(L) x 230(W) x 700(H)mm

Includes:

Day Count Down Timer and Alarm

Filter Tool



Water Filter System-Reverse Osmosis, 6 Stage, 5UM + UV Steriliser 6W

\$389.00

Model: ROUV-7 UV Lamp Power: 6W Filter System: 6 Stage

Filter 1 Type: 5um PPS (Polypropylene Spun) removes

Sediment, Sand, Silt, Dirt and Dust

Filter 2 Type: 1um GAC (Granular Activated Carbon Cartridge are made of High-quality coconut shell carbon high adsorption capacity) removes chlorine, organic chemicals, suspended particles, tastes and odours from water.

Filter 3 Type: 5um CTO (Chlorine Taste and Odour—Coconut

Shell Carbon) removes Chlorine, Taste and Odour Filter 4 Type: RO membrane (reverse osmosis) removes bacteria, viruses, heavy metal and organic substances further. Filter 5 Type: T33 removes smell, increases oxygen and prevent

bacterial growth.

Water Inlet Connection: 20mm Female / 20mm Male Fitting

Mounting: Standing / Wall Mount Type

Filter Housing Size: 360(L) x 215(W) x 590(H)mm Expansion Tank Size: 240(L) x 215(W) x 360(H)mm

Booster Pump:

Voltage: 230V / 50Hz, Working PSI: 72

Flow: 134.6ml/min

Includes:

12L Expansion tank, Sink Outlet Tap

Pressure Gauge Filter Tool





Water Filter System - 3 Stage, 5UM - 20" (Wall Mounted)

\$439.00

Model: RG-20B-3-W-5UM Flow Rate: 45.4lpm (12GPM)

Filter System: 3 Stage

Filter Size: 508mm(L) x 114mm(OD) (20" x 4.5") Filter 1 Type: 5um PPS (Polypropylene Spun) removes

Sediment, Sand, Silt, Dirt and Dust

Filter 2 Type: 5um CTO (Chlorine Taste and Odour— Coconut Shell Carbon) removes Chlorine, Taste and Odour Filter 3 Type: 5um GAC (Granular Activated Carbon Cartridge are made of High-quality coconut shell carbon high adsorption capacity) removes chlorine, organic chemicals, suspended particles, tastes and odours from water.

Connection: 25mm Female plus 25mm Male

Mounting: Wall Mount Type

Overall Size: 572L) x 230(W) x 640(H)mm

Includes: Filter Tool



Water Filter System - 3 Stage, 5UM - 20" (Free Standing)

\$539.00

Model: RG-20B-3-S-5UM Flow Rate: 45.4lpm (12GPM)

Filter System: 3 Stage

Filter Size: 508mm(L) x 114mm(OD) (20" x 4.5") Filter 1 Type: 5um PPS (Polypropylene Spun) removes

Sediment, Sand, Silt, Dirt and Dust

Filter 2 Type: 5um CTO (Chlorine Taste and Odour-Coconut Shell Carbon) removes Chlorine, Taste and Odour Filter 3 Type: 5um GAC (Granular Activated Carbon Cartridge are made of High-quality coconut shell carbon high adsorption capacity) removes chlorine, organic chemicals, suspended particles, tastes and odours from water.

Connection: 25mm Female plus 25mm Male

Mounting: Standing Type

Overall Size: 572(L) x 230(W) x 715(H)mm

Includes: Filter Tool



Water Filter Housing—Blue—10"

Model: H-10-B2
Fits: 10" Filter
Connection: 25mm Female (Brass)
Max Continuous Pressure: 8.6bar,
861kPa, 125psi
Accepts Filter Size: 254mm(L) x
114mm(OD) (10" x 4.5")
Overall Size: 180(L) x 180(W) x
350(H)mm



UV Steriliser -Replacement Lamp -33W (USA)

Model: UV Lamp-33W
UV Lamp Power: 33W
Imported: From the USA
Replacement for models:
RPS-103 & RPS-103S
UV Length (excl. prongs): 300mm
Prongs: 7mm long, Square shape
Prong spacing: 8mm x 6.5mm



\$49.95


Water Filter Housing—Blue—20"

Model: H-20-B2 Fits: 20" Filter Connection: 25mm Female (Brass) Max Continuous Pressure: 8.6bar, 861kPa, 125psi Accepts Filter Size: 508mm(L) x 114mm(OD) (20" x 4.5") Overall Size: 140(L) x 140(W) x 600(H)mm



UV Steriliser -Replacement Lamp -48W (USA)

Model: UV Lamp-48W
UV Lamp Power: 48W
Imported: From the USA
Replacement for models:
RPS-203 & RPS-203S
UV Length (excl. prongs): 435mm
Prongs: 7mm long, Square shape
Prong spacing: 8mm x 6.5mm



UV Steriliser – 55W + Alarm

Model: UV-55W + T-Ballast UV Lamp Power: 55W

UV Lamp Size: $1020(L) \times 70(W) \times$

100(H)mm

T-Ballast Size: 280(L) x 75(W) x

55(H)mm Includes:

Day Count Down Timer and Alarm



UV Steriliser -Replacement Lamp -55W

Model: UV Lamp-55W

UV Lamp Power: 55W Replacement for models: RPS-103RG-20B-3-55W RPS-103RG-20B-3-55S UV Length (excl. prongs): 910mm Prongs: 7mm long, Square shape

\$48.95

Prongs: 7mm long, Square shap Prong spacing: 8mm x 6.5mm



\$469.00

UV Steriliser -Replacement Alarm

Model: T-Ballast Function: Day Count Down and Alarm

T-Ballast Size: 280(L) x 75(W) x

55(H)mm

Replacement for models: RPS-103 RPS-203

RG-20B-3-55



UV Steriliser -Replacement Quartz Tube - 33W

Model: Quartz Tube-33W Fits: 33W Lamp Replacement for models: RPS-103W-5UM RPS-103S-5UM

\$31.95







UV Steriliser -Replacement Quartz Tube - 48W

Model: QUARTZ TUBE-48W Fits: 48W Lamp Replacement for models: RPS-203W-5UM RPS-203S-5UM


\$34.95



Water Filter System - Poly Spun Replacement Filter - 20UM, 10"

Model: JUMBO PPS-10-20UM Filter Size: 254mm(L) x 114mm (OD) (10" x 4.5")

Filter Type: 20um PPS (Polypropylene Spun) removes Sediment Sand, Silt, Dirt and Dust



Replacement Quartz Tube - 55W

Model: QUARTZ TUBE-55W Fits: 55W Lamp Replacement for models: RPS-103RG-20B-3-55W RPS-103RG-20B-3-55S

Water Filter System - Poly

Filter Size: 254mm(L) x 114mm (OD)

Filter Type: 1um PPS (Polypropylene

Spun) removes Sediment Sand, Silt,

Water Filter System - Poly

Spun Replacement

Model: JUMBO PPS-10-5UM

Filter - 5UM, 10"

Dirt and Dust

Spun Replacement

Model: JUMBO PPS-10-1UM

Filter - 1UM, 10"

(10" x 4.5")

Dirt and Dust

\$38.95



\$9.95

Water Filter System - Poly Spun Replacement Filter - 1UM, 20"

Model: JUMBO PPS-20-1UM Filter Size: 508mm(L) x 114mm (OD) (20" x 4.5")

Filter Type: 1um PPS (Polypropylene Spun) removes Sediment Sand, Silt, Dirt and Dust



\$21.95



Water Filter System - Poly **Spun Replacement** Filter - 5UM, 20"

Model: JUMBO PPS-20-5UM Filter Size: 508mm(L) x 114mm (OD) (20" x 4.5")

Filter Type: 5um PPS (Polypropylene Spun) removes Sediment Sand, Silt, Dirt and Dust

\$19.95



Water Filter System - Poly **Spun Replacement** Filter - 20UM, 20"

Model: JUMBO PPS-20-20UM Filter Size: 508mm(L) x 114mm (OD) (20" x 4.5")

Filter Type: 20um PPS (Polypropylene Spun) removes Sediment Sand, Silt, Dirt and Dust

Filter Size: 254mm(L) x 114mm (OD) (10" x 4.5") Filter Type: 5um PPS (Polypropylene Spun) removes Sediment Sand, Silt,

\$9.95

\$10.95



\$19.95



\$19.95

Water Filter System - Poly Pleated Replacement Filter, 1um - 10"

Model: JUMBO PPL-10-1UM
Filter Size: 254mm(L) x 114mm
(OD) (10" x 4.5")
Filter Type: 1um PPL (Polypropylene
Pleated) removes Sediment Sand,
Silt, Dirt and Dust

Washable



\$18.95

Water Filter System - Poly Pleated Replacement Filter, 5um - 10"

Filter Size: 254mm(L) x 114mm (OD) (10" x 4.5") Filter Type: 5um PPL (Polypropylene Pleated) removes Sediment Sand, Silt. Dirt and Dust

Model: JUMBO PPL-10-5UM

Washable



\$17.95

Water Filter System - Poly Pleated Replacement Filter, 20um - 10"

Model: JUMBO PPL-10-20UM
Filter Size: 254mm(L) x 114mm (OD) (10" x 4.5")
Filter Type: 20um PPL (Polypropylene Pleated) removes
Sediment Sand, Silt, Dirt and Dust

Washable



\$38.95

Water Filter System - Poly Pleated Replacement Filter, 1um - 20"

Model: JUMBO PPL-20-1UM
Filter Size: 508mm(L) x 114mm
(OD) (20" x 4.5")
Filter Type: 1um PPL (Polypropylene
Pleated) removes Sediment Sand,
Silt, Dirt and Dust

Washable



\$37.95

Water Filter System - Poly Pleated Replacement Filter, 5um - 20"

Model: JUMBO PPL-20-5UM
Filter Size: 508mm(L) x 114mm (OD)
(20" x 4.5")
Filter Type: 5 ym PPL (Polypropylene

Filter Type: 5um PPL (Polypropylene Pleated) removes Sediment Sand, Silt, Dirt and Dust

Washable



\$35.95

Water Filter System - Poly Pleated Replacement Filter, 20um - 20"

Model: JUMBO PPL-20-20UM Filter Size: 508mm(L) x 114mm (OD) (20" x 4.5")

Filter Type: 20um PPL (Polypropylene Pleated

(Polypropylene Pleated) removes Sediment Sand, Silt, Dirt and Dust

Washable





\$28.95

Water Filter System -CTO Replacement Filter - 1UM, 10"

Model: Jumbo CTO-10-1UM Filter Size: 254mm(L) x 114mm(OD) (10" x 4.5")

Filter Type: 1um CTO (Chlorine Taste and Odour—Coconut Shell Carbon) removes Chlorine, Taste and Odour Replacement for models:

RPS-103, RPS-103S



\$26.95

Water Filter System -CTO Replacement Filter - 5UM, 10"

Model: Jumbo CTO-10-5UM Filter Size: 254mm(L) x 114mm(OD) (10" x 4.5")

Filter Type: 5um CTO (Chlorine Taste and Odour—Coconut Shell Carbon) removes Chlorine, Taste and Odour Replacement for models:

RPS-103, RPS-103S



\$52.95

Water Filter System -CTO Replacement Filter - 1UM. 20"

Model: Jumbo CTO-20-1UM Filter Size: 508mm(L) x 114mm(OD) (20" x 4.5")

Filter Type: 1um CTO (Chlorine Taste and Odour—Coconut Shell Carbon) removes Chlorine, Taste and Odour Replacement for models:

RG-20B-3-55W-1UM



\$49.95

Water Filter System -CTO Replacement Filter - 5UM, 20"

Model: Jumbo CTO-20-5UM Filter Size: 508mm(L) x 114mm(OD) (20" x 4.5")

Filter Type: 1um CTO (Chlorine Taste and Odour—Coconut Shell Carbon) removes Chlorine, Taste and Odour Replacement for models:

RPS-203/RPS-203S



\$52.95

Water Filter System -GAC Replacement Filter - 1UM, 20"

Model: Jumbo GAC-20-1UM Filter Size: 508mm(L) x 114mm(OD) (20" x 4.5")

Filter Type: 1um GAC (Granular Activated Carbon Cartridge are made of High-quality coconut shell carbon high adsorption capacity) removes chlorine, organic chemicals, suspended particles, tastes and odours from water.

Replacement for models: RPS-203 / RPS-203S



\$49.95

Water Filter System -GAC Replacement Filter - 5UM, 20"

Model: Jumbo GAC-20-5UM Filter Size: 508mm(L) x 114mm(OD) (20" x 4.5")

Filter Type: 5um GAC (Granular Activated Carbon Cartridge are made of High-quality coconut shell carbon high adsorption capacity) removes chlorine, organic chemicals, suspended particles, tastes and odours from water.

Replacement for models:

RPS-203 / RPS-203S

RPS-103RG-20B-3-55W / 55S



Water Filter System - KDF + GAC Replacement Filter, 5um - 10"

Model: JUMBO KDF-GAC-10-5UM Filter Size: 254mm(L) x 114mm(OD) (10" x 4.5")

Filter Type: 5um KDF (Kinetic Degradation Fluxion) + GAC removes hydrogen sulfide, iron, lead, nickel, chromium, cadmium, calcium, aluminium, mercury, arsenic, and other organic compounds.



Water Filter System - KDF + GAC Replacement Filter, 5um - 20"

Model: JUMBO KDF-GAC-20-5UM Filter Size: 508mm(L) x 114mm(OD) (20" x 4.5")

Filter Type: 5um KDF (Kinetic Degradation Fluxion) + GAC removes hydrogen sulfide, iron, lead, nickel, chromium, cadmium, calcium, aluminium, mercury, arsenic, and other organic compounds.





\$5.95

Water Filter System -Reverse Osmosis - PPS Replacement Filter - 10"

Model: ROUV-7 PPS-10" Filter Size: 254mm(L) x 60mm(OD) (10" x 2.4")

Filter Type: 5um PPS (Polypropylene Spun) removes Sediment, Sand, Silt, Dirt and Dust

Replacement for model: ROUV-7



Water Filter System -Reverse Osmosis - Post Carbon Replacement Filter -10"

Model: ROUV-7 POST CARBON-10"-WHITE

Filter Size: 246mm(L) x 53mm (OD) (10" x 2")

Filter Type: Post Carbon has Granular Activated Carbon for deep filtration and enhances the taste.

Replacement for model: ROUV-7



\$9.95

Water Filter System -Reverse Osmosis - GAC Replacement Filter - 10"

Model: ROUV-7 GAC-10" Filter Size: 251mm(L) x 72mm(OD) (10" x 2.8")

Filter Type: 1um GAC (Granular Activated Carbon Cartridge are made of High -quality coconut shell carbon high adsorption capacity) removes chlorine, organic chemicals, suspended particles, tastes and odours from water Replacement for model: ROUV-7



Water Filter System -Reverse Osmosis - Mineral Cartridge Filter - 10"

Model: ROUV-7 MINERAL CARTRIDGE
-10"-YELLOW

Filter Size: 246.5mm(L) x 53mm (OD) (10" x 2")

Filter Type: Mineral Cartridge contains mineral balls to replenish the essential minerals needed by the human body.

Replacement for model: ROUV-7



\$9.35

Water Filter System -Reverse Osmosis - CTO Replacement Filter - 10"

Model: ROUV-7 CTO-10" Filter Size: 251mm(L) x 70mm(OD) (10" x 2.8")

Filter Type: 5um CTO (Chlorine Taste and Odour—Coconut Shell Carbon) removes Chlorine, Taste and Odour Replacement for model: ROUV-7



\$19.95

Water Filter System -Reverse Osmosis -UV LAMP-6W

Model: ROUV-7 UV LAMP-6W UV Lamp Power: 6W UV Length (excl. Prongs): 212mm Prongs: 7mm long, Square shape Prong spacing: 8mm x 6.5mm Replacement for mode: ROUV-7



Water Filter System -Reverse Osmosis - RO Membrane 50GPD

Model: ROUV-7 RO MEMBRANE 50GPD

Filter Size: 298mm(L) x 51mm(OD) (11.5" x 2")

Filter Type: RO membrane (reverse osmosis) removes the majority of dissolved salts, organics, bacteria and pyrogens.

Replacement for model: ROUV-7



Water Filter System -Reverse Osmosis -Quartz Tube 6W

Model: ROUV-7 QUARTZ TUBE 6W Fits: 6W Lamp Tube Overall Length: 242mm


Replacement for mode: ROUV-7



\$8.95

Float Switch

Model: Float Switch - 6.35mm (1/4")Inlet Size: 6.35mm (1/4") Continuous Pressure: 14.5 -72.5PSI



Model: Pressure Gauge

Size: 63.5(D)mm Pressure Range: 0-220PSI 0-1.6MPa

Thread Size: 6.35mm (1/4") (Brass) Gauge Case: Stainless Steel (304)

Accuracy: ± 1.6%



\$9.95

\$17.95

Three Way Tee - Brass -12.5mm (1/4") x 25mm (1")

Model: 3V75 Thread: G1/4, G1 Length: 70mm Input Male Thread: $25mm(1") \times 2$ Output Female Thread: 12.5mm $(1/4") \times 1$

(Includes reducer from 1" to 1/4")

\$25.95

Water Filter Housing -Blue - 10" / 20" **BRACKET - 1 Filter**

Model: H-10-B2/H-20-B2 Bracket -1 Filter

Fits: 10" (H-10-B2) or 20" (H-20-B2) Filter Housings

Overall Size: 168(L) x 104(W) x 128

Includes: 1 x bracket and 1 x bag of

bolts

Water Filter Housing -Blue - 10" / 20" **BRACKET - 2 Filter**

Model: H-10-B2/H-20-B2 Bracket -2 Filter

Fits: 10" (H-10-B2) or 20" (H-20-B2) Filter Housings

Overall Size: 220(L) x 391(W) x 70

bolts



\$17.95

\$8.95

Water Filter Housing -Blue - 10" / 20" **BRACKET - 3 Filter**

Model: H-10-B2/H-20-B2 Bracket -3 Filter

Fits: 10" (H-10-B2) or 20" (H-20-B2) Filter Housings

Overall Size: 220(L) x 570(W) x 70(H)

Includes: 1 x bracket and 1 x bag of

bolts







CONTACT US

Phone: 03 313 1415 Fax: 03 313 1495

Email: sales@GoodsDirect2U.co.nz **Web:** www. GoodsDirect2U.co.nz

Address: 589 Mount Thomas Road, RD1, Fernside New Zealand

Opening Hours: 9am - 5:00pm Mon-Fri 10am - 12am Sat.